

## Subescala C – AMBIENTE ESCOLAR

### Factor Analysis

#### Descriptive Statistics

	Mean	Std. Deviation	Analysis N
Item 1	4,30	1,201	170
Item 2	4,19	1,104	170
Item 3	4,29	1,149	170
Item 4	4,32	1,091	170
Item 5	4,42	1,426	170
Item 6	4,17	1,157	170
Item 8	3,60	1,266	170
Item 9	4,18	1,101	170
Item 10	4,14	1,037	170
Item 11	4,09	1,059	170
Item 12	4,60	1,325	170
Item 14	4,71	1,412	170
Item 15	4,20	1,200	170
Item 16	4,61	1,399	170
Item 17	4,61	1,311	170
Item 18	4,45	1,323	170
Item 19	4,06	1,279	170

Correlation Matrix																			
	Item 1	Item 2	Item 3	Item 4	Item 5	Item 6	Item 8	Item 9	Item 10	Item 11	Item 12	Item 14	Item 15	Item 16	Item 17	Item 18	Item 19		
Correlation	Item 1	1,000	,872	,840	,747	,499	,666	,461	,725	,694	,770	,582	,613	,574	,427	,473	,425	,554	
	Item 2	,872	1,000	,861	,784	,520	,679	,524	,713	,732	,790	,545	,548	,592	,412	,443	,404	,528	
	Item 3	,840	,861	1,000	,839	,501	,710	,476	,702	,661	,761	,493	,519	,627	,419	,465	,434	,575	
	Item 4	,747	,784	,839	1,000	,410	,687	,450	,681	,625	,799	,479	,533	,655	,460	,506	,457	,574	
	Item 5	,499	,520	,501	,410	1,000	,620	,383	,574	,549	,535	,651	,614	,483	,565	,579	,548	,439	
	Item 6	,666	,679	,710	,687	,620	1,000	,491	,743	,637	,698	,500	,516	,615	,441	,508	,487	,581	
	Item 8	,461	,524	,476	,450	,383	,491	1,000	,590	,447	,477	,243	,200	,447	,278	,266	,227	,495	
	Item 9	,725	,713	,702	,681	,574	,743	,590	1,000	,746	,768	,580	,593	,650	,461	,528	,518	,602	
	Item 10	,694	,732	,661	,625	,549	,637	,447	,746	1,000	,791	,621	,584	,625	,477	,491	,499	,524	
	Item 11	,770	,790	,761	,799	,535	,698	,477	,768	,791	1,000	,598	,646	,638	,551	,609	,613	,537	
	Item 12	,582	,545	,493	,479	,651	,500	,243	,580	,621	,598	1,000	,842	,587	,690	,676	,595	,487	
	Item 14	,613	,548	,519	,533	,614	,516	,200	,593	,584	,646	,842	1,000	,653	,760	,770	,700	,564	
	Item 15	,574	,592	,627	,655	,483	,615	,447	,650	,625	,638	,587	,653	1,000	,671	,663	,648	,771	
	Item 16	,427	,412	,419	,460	,565	,441	,278	,461	,477	,551	,690	,760	,671	1,000	,836	,754	,468	
	Item 17	,473	,443	,465	,506	,579	,508	,266	,528	,491	,609	,676	,770	,663	,836	1,000	,858	,538	
	Item 18	,425	,404	,434	,457	,548	,487	,227	,518	,499	,613	,595	,700	,648	,754	,858	1,000	,465	
	Item 19	,554	,528	,575	,574	,439	,581	,495	,602	,524	,537	,487	,564	,771	,468	,538	,465	1,000	
	Sig. (1-tailed)	Item 1		,000	,000	,000	,000	,000	,000	,000	,000	,000	,000	,000	,000	,000	,000	,000	,000
		Item 2	,000		,000	,000	,000	,000	,000	,000	,000	,000	,000	,000	,000	,000	,000	,000	,000
Item 3		,000	,000		,000	,000	,000	,000	,000	,000	,000	,000	,000	,000	,000	,000	,000	,000	
Item 4		,000	,000	,000		,000	,000	,000	,000	,000	,000	,000	,000	,000	,000	,000	,000	,000	
Item 5		,000	,000	,000	,000		,000	,000	,000	,000	,000	,000	,000	,000	,000	,000	,000	,000	
Item 6		,000	,000	,000	,000	,000		,000	,000	,000	,000	,000	,000	,000	,000	,000	,000	,000	
Item 8		,000	,000	,000	,000	,000	,000		,000	,000	,000	,001	,004	,000	,000	,000	,001	,000	
Item 9		,000	,000	,000	,000	,000	,000	,000		,000	,000	,000	,000	,000	,000	,000	,000	,000	
Item 10		,000	,000	,000	,000	,000	,000	,000	,000		,000	,000	,000	,000	,000	,000	,000	,000	
Item 11		,000	,000	,000	,000	,000	,000	,000	,000	,000		,000	,000	,000	,000	,000	,000	,000	
Item 12		,000	,000	,000	,000	,000	,000	,001	,000	,000	,000		,000	,000	,000	,000	,000	,000	
Item 14		,000	,000	,000	,000	,000	,000	,004	,000	,000	,000	,000		,000	,000	,000	,000	,000	
Item 15		,000	,000	,000	,000	,000	,000	,000	,000	,000	,000	,000	,000		,000	,000	,000	,000	
Item 16		,000	,000	,000	,000	,000	,000	,000	,000	,000	,000	,000	,000	,000		,000	,000	,000	
Item 17		,000	,000	,000	,000	,000	,000	,000	,000	,000	,000	,000	,000	,000	,000		,000	,000	
Item 18		,000	,000	,000	,000	,000	,000	,001	,000	,000	,000	,000	,000	,000	,000	,000		,000	
Item 19		,000	,000	,000	,000	,000	,000	,000	,000	,000	,000	,000	,000	,000	,000	,000	,000		

**Anti-image Matrices**

	Item 1	Item 2	Item 3	Item 4	Item 5	Item 6	Item 8	Item 9	Item 10	Item 11	Item 12	Item 14	Item 15	Item 16	Item 17	Item 18	Item 19		
Anti-image Covariance	Item 1	,171	-,066	-,052	,012	,030	-,007	-,001	-,026	,002	-,014	-,010	-,035	,023	,008	,001	,010	-,018	
	Item 2	-,066	,148	-,046	-,020	-,023	,002	-,051	,019	-,038	-,018	-,007	-,004	-,014	,011	,001	,016	,028	
	Item 3	-,052	-,046	,158	-,070	-,033	-,019	,024	-,004	,007	,006	,009	,020	-,012	-,001	,004	-,009	-,015	
	Item 4	,012	-,020	-,070	,198	,054	-,036	,014	-,006	,039	-,069	,003	-,001	-,032	-,008	-,014	,030	-,006	
	Item 5	,030	-,023	-,033	,054	,388	-,119	-,062	-,010	-,019	,017	-,070	-,019	,046	-,027	-,006	-,029	-,004	
	Item 6	-,007	,002	-,019	-,036	-,119	,313	,010	-,070	-,001	-,012	,014	,018	-,016	,013	-,008	-,002	-,027	
	Item 8	-,001	-,051	,024	,014	-,062	,010	,471	-,114	,028	-,025	,013	,090	-,002	-,069	,003	,031	-,105	
	Item 9	-,026	,019	-,004	-,006	-,010	-,070	-,114	,237	-,056	-,024	-,011	-,024	-,020	,041	-,002	-,012	,006	
	Item 10	,002	-,038	,007	,039	-,019	-,001	,028	-,056	,268	-,083	-,051	,021	-,040	-,003	,021	,001	-,005	
	Item 11	-,014	-,018	,006	-,069	,017	-,012	-,025	-,024	-,083	,163	,012	-,017	,027	-,002	-,003	-,046	,018	
	Item 12	-,010	-,007	,009	,003	-,070	,014	,013	-,011	-,051	,012	,236	-,098	-,004	-,024	-,012	,026	,015	
	Item 14	-,035	-,004	,020	-,001	-,019	,018	,090	-,024	,021	-,017	-,098	,163	,000	-,044	-,017	-,011	-,049	
	Item 15	,023	-,014	-,012	-,032	,046	-,016	-,002	-,020	-,040	,027	-,004	,000	,218	-,067	,018	-,050	-,140	
	Item 16	,008	,011	-,001	-,008	-,027	,013	-,069	,041	-,003	-,002	-,024	-,044	-,067	,215	-,075	-,009	,063	
	Item 17	,001	,001	,004	-,014	-,006	-,008	,003	-,002	,021	-,003	-,012	-,017	,018	-,075	,159	-,102	-,038	
	Item 18	,010	,016	-,009	,030	-,029	-,002	,031	-,012	,001	-,046	,026	-,011	-,050	-,009	-,102	,216	,035	
	Item 19	-,018	,028	-,015	-,006	-,004	-,027	-,105	,006	-,005	,018	,015	-,049	-,140	,063	-,038	,035	,318	
	Anti-image Correlation	Item 1	,943 <sup>a</sup>	-,418	-,317	,063	,116	-,029	-,003	-,128	,010	-,081	-,051	-,210	,121	,043	,004	,051	-,078
		Item 2	-,418	,939 <sup>a</sup>	-,304	-,117	-,096	,009	-,195	,101	-,189	-,118	-,035	-,024	-,076	,061	,009	,088	,130
Item 3		-,317	-,304	,940 <sup>a</sup>	-,396	-,131	-,085	,088	-,019	,033	,035	,045	,122	-,064	-,007	,023	-,050	-,066	
Item 4		,063	-,117	-,396	,930 <sup>a</sup>	,196	-,145	,047	-,026	,168	-,385	,016	-,005	-,155	-,040	-,078	,143	-,024	
Item 5		,116	-,096	-,131	,196	,933 <sup>a</sup>	-,341	-,145	-,032	-,059	,069	-,233	-,075	,157	-,094	-,024	-,099	-,011	
Item 6		-,029	,009	-,085	-,145	-,341	,961 <sup>a</sup>	,026	-,257	-,003	-,051	,052	,079	-,060	,049	-,037	-,006	-,084	
Item 8		-,003	-,195	,088	,047	-,145	,026	,866 <sup>a</sup>	-,341	,079	-,090	,040	,326	-,005	-,217	,010	,097	-,271	
Item 9		-,128	,101	-,019	-,026	-,032	-,257	-,341	,951 <sup>a</sup>	-,224	-,124	-,048	-,123	-,089	,180	-,009	-,055	,022	
Item 10		,010	-,189	,033	,168	-,059	-,003	,079	-,224	,942 <sup>a</sup>	-,397	-,203	,099	-,166	-,012	,103	,002	-,016	
Item 11		-,081	-,118	,035	-,385	,069	-,051	-,090	-,124	-,397	,940 <sup>a</sup>	,063	-,102	,143	-,008	-,021	-,246	,078	
Item 12		-,051	-,035	,045	,016	-,233	,052	,040	-,048	-,203	,063	,933 <sup>a</sup>	-,501	-,019	-,106	-,060	,115	,054	
Item 14		-,210	-,024	,122	-,005	-,075	,079	,326	-,123	,099	-,102	-,501	,913 <sup>a</sup>	-,001	-,235	-,108	-,061	-,215	
Item 15		,121	-,076	-,064	-,155	,157	-,060	-,005	-,089	-,166	,143	-,019	-,001	,915 <sup>a</sup>	-,311	,098	-,229	-,533	
Item 16		,043	,061	-,007	-,040	-,094	,049	-,217	,180	-,012	-,008	-,106	-,235	-,311	,912 <sup>a</sup>	-,408	-,043	,240	
Item 17		,004	,009	,023	-,078	-,024	-,037	,010	-,009	,103	-,021	-,060	-,108	,098	-,408	,912 <sup>a</sup>	-,554	-,171	
Item 18		,051	,088	-,050	,143	-,099	-,006	,097	-,055	,002	-,246	,115	-,061	-,229	-,043	-,554	,907 <sup>a</sup>	,132	

Item 19	-.078	,130	-.066	-.024	-.011	-.084	-.271	,022	-.016	,078	,054	-.215	-.533	,240	-.171	,132	,897 <sup>a</sup>
---------	-------	------	-------	-------	-------	-------	-------	------	-------	------	------	-------	-------	------	-------	------	-------------------

a. Measures of Sampling Adequacy(MSA)

**KMO and Bartlett's Test**

Kaiser-Meyer-Olkin Measure of Sampling Adequacy.		,928
Approx. Chi-Square		2993,903
Bartlett's Test of Sphericity	df	136
	Sig.	,000

**Communalities**


	Initial	Extraction
Item 1	1,000	,789
Item 2	1,000	,837
Item 3	1,000	,820
Item 4	1,000	,751
Item 5	1,000	,537
Item 6	1,000	,685
Item 8	1,000	,454
Item 9	1,000	,760
Item 10	1,000	,684
Item 11	1,000	,797
Item 12	1,000	,710
Item 14	1,000	,817
Item 15	1,000	,687
Item 16	1,000	,817
Item 17	1,000	,855
Item 18	1,000	,773
Item 19	1,000	,531

Extraction Method: Principal Component Analysis.

**Total Variance Explained**

Component	Initial Eigenvalues			Extraction Sums of Squared Loadings			Rotation Sums of Squared Loadings		
	Total	% of Variance	Cumulative %	Total	% of Variance	Cumulative %	Total	% of Variance	Cumulative %
1	10,402	61,190	61,190	10,402	61,190	61,190	6,770	39,821	39,821
2	1,901	11,179	72,370	1,901	11,179	72,370	5,533	32,549	72,370
3	,865	5,086	77,455						
4	,725	4,267	81,723						
5	,547	3,217	84,940						
6	,468	2,751	87,691						
7	,428	2,517	90,208						
8	,287	1,687	91,895						
9	,267	1,569	93,464						
10	,211	1,243	94,706						
11	,192	1,128	95,835						
12	,161	,949	96,784						
13	,142	,834	97,618						
14	,112	,661	98,279						
15	,104	,614	98,893						
16	,099	,583	99,476						
17	,089	,524	100,000						

Extraction Method: Principal Component Analysis.



Component Matrix<sup>a</sup>

	Component	
	1	2
Item 1	,831	-,313
Item 2	,833	-,380
Item 3	,828	-,367
Item 4	,813	
Item 5	,709	
Item 6	,800	
Item 8	,550	-,389
Item 9	,845	
Item 10	,812	
Item 11	,880	
Item 12	,767	,347
Item 14	,805	,410
Item 15	,821	
Item 16	,724	,541
Item 17	,766	,517
Item 18	,723	,500
Item 19	,728	

Extraction Method: Principal Component Analysis.

a. 2 components extracted.

**Reproduced Correlations**

		Item 1	Item 2	Item 3	Item 4	Item 5	Item 6	Item 8	Item 9	Item 10	Item 11	Item 12	Item 14	Item 15	Item 16	Item 17	Item 18	Item 19	
Reproduced Correlation	Item 1	,789 <sup>a</sup>	,811	,803	,770	,531	,732	,579	,770	,724	,778	,529	,541	,648	,433	,475	,445	,616	
	Item 2	,811	,837 <sup>a</sup>	,829	,791	,520	,747	,606	,785	,735	,789	,507	,515	,642	,397	,442	,413	,619	
	Item 3	,803	,829	,820 <sup>a</sup>	,783	,519	,740	,598	,778	,730	,783	,508	,516	,639	,401	,445	,416	,615	
	Item 4	,770	,791	,783	,751 <sup>a</sup>	,521	,714	,563	,751	,707	,760	,521	,533	,635	,427	,469	,439	,602	
	Item 5	,531	,520	,519	,521	,537 <sup>a</sup>	,528	,317	,560	,547	,596	,609	,647	,603	,614	,639	,606	,510	
	Item 6	,732	,747	,740	,714	,528	,685 <sup>a</sup>	,522	,722	,683	,736	,540	,557	,634	,465	,504	,473	,590	
	Item 8	,579	,606	,598	,563	,317	,522	,454 <sup>a</sup>	,548	,507	,542	,287	,283	,408	,187	,220	,203	,414	
	Item 9	,770	,785	,778	,751	,560	,722	,548	,760 <sup>a</sup>	,720	,776	,574	,593	,670	,496	,537	,505	,623	
	Item 10	,724	,735	,730	,707	,547	,683	,507	,720	,684 <sup>a</sup>	,738	,569	,591	,650	,504	,542	,510	,597	
	Item 11	,778	,789	,783	,760	,596	,736	,542	,776	,738	,797 <sup>a</sup>	,623	,647	,706	,556	,597	,562	,646	
	Item 12	,529	,507	,508	,521	,609	,540	,287	,574	,569	,623	,710 <sup>a</sup>	,760	,669	,743	,768	,729	,547	
	Item 14	,541	,515	,516	,533	,647	,557	,283	,593	,591	,647	,760	,817 <sup>a</sup>	,707	,805	,829	,787	,573	
	Item 15	,648	,642	,639	,635	,603	,634	,408	,670	,650	,706	,669	,707	,687 <sup>a</sup>	,654	,687	,649	,594	
	Item 16	,433	,397	,401	,427	,614	,465	,187	,496	,504	,556	,743	,805	,654	,817 <sup>a</sup>	,835	,794	,509	
	Item 17	,475	,442	,445	,469	,639	,504	,220	,537	,542	,597	,768	,829	,687	,835	,855 <sup>a</sup>	,813	,540	
	Item 18	,445	,413	,416	,439	,606	,473	,203	,505	,510	,562	,729	,787	,649	,794	,813	,773 <sup>a</sup>	,510	
	Item 19	,616	,619	,615	,602	,510	,590	,414	,623	,597	,646	,547	,573	,594	,509	,540	,510	,531 <sup>a</sup>	
	Residual <sup>b</sup>	Item 1		,061	,037	-,022	-,032	-,066	-,118	-,044	-,030	-,009	,052	,072	-,074	-,006	-,003	-,020	-,062
		Item 2	,061		,032	-,006	,001	-,068	-,081	-,072	-,003	,001	,038	,033	-,049	,015	,002	-,009	-,091
Item 3		,037	,032		,056	-,018	-,031	-,122	-,076	-,069	-,023	-,015	,003	-,013	,017	,020	,019	-,041	
Item 4		-,022	-,006	,056		-,112	-,027	-,114	-,070	-,082	,039	-,042	,001	,021	,033	,037	,017	-,028	
Item 5		-,032	,001	-,018	-,112		,092	,066	,015	,002	-,061	,042	-,033	-,120	-,049	-,060	-,057	-,071	
Item 6		-,066	-,068	-,031	-,027	,092		-,031	,022	-,046	-,038	-,040	-,042	-,019	-,024	,005	,014	-,009	
Item 8		-,118	-,081	-,122	-,114	,066	-,031		,042	-,060	-,065	-,044	-,083	,038	,091	,046	,024	,081	
Item 9		-,044	-,072	-,076	-,070	,015	,022	,042		,026	-,008	,006	,000	-,021	-,036	-,010	,014	-,021	
Item 10		-,030	-,003	-,069	-,082	,002	-,046	-,060	,026		,053	,051	-,006	-,025	-,027	-,051	-,011	-,073	
Item 11		-,009	,001	-,023	,039	-,061	-,038	-,065	-,008	,053		-,025	-,001	-,068	-,005	,012	,051	-,108	
Item 12		,052	,038	-,015	-,042	,042	-,040	-,044	,006	,051	-,025		,082	-,082	-,053	-,091	-,134	-,060	
Item 14		,072	,033	,003	,001	-,033	-,042	-,083	,000	-,006	-,001	,082		-,054	-,045	-,059	-,088	-,008	
Item 15		-,074	-,049	-,013	,021	-,120	-,019	,038	-,021	-,025	-,068	-,082	-,054		,017	-,023	-,002	,177	
Item 16		-,006	,015	,017	,033	-,049	-,024	,091	-,036	-,027	-,005	-,053	-,045	,017		,001	-,040	-,041	
Item 17		-,003	,002	,020	,037	-,060	,005	,046	-,010	-,051	,012	-,091	-,059	-,023	,001		,045	-,003	
Item 18		-,020	-,009	,019	,017	-,057	,014	,024	,014	-,011	,051	-,134	-,088	-,002	-,040	,045		-,044	
Item 19		-,062	-,091	-,041	-,028	-,071	-,009	,081	-,021	-,073	-,108	-,060	-,008	,177	-,041	-,003	-,044		

Extraction Method: Principal Component Analysis.

a. Reproduced communalities

b. Residuals are computed between observed and reproduced correlations. There are 48 (35,0%) nonredundant residuals with absolute values greater than 0.05.

**Rotated Component Matrix<sup>a</sup>**

	Component	
	1	2
Item 1	,834	,307
Item 2	,878	
Item 3	,866	
Item 4	,811	,306
Item 5	,415	,604
Item 6	,744	,363
Item 8	,671	
Item 9	,779	,391
Item 10	,716	,413
Item 11	,764	,462
Item 12	,354	,764
Item 14	,341	,837
Item 15	,549	,621
Item 16		,883
Item 17		,892
Item 18		,851
Item 19	,573	,450

Extraction Method: Principal Component Analysis.

Rotation Method: Varimax with Kaiser Normalization.

a. Rotation converged in 3 iterations.

**Component Transformation Matrix**

Component	1	2
1	,757	,654
2	-,654	,757

Extraction Method: Principal Component Analysis.

Rotation Method: Varimax with Kaiser Normalization.



**Component Score Coefficient Matrix**

	Component	
	1	2
Item 1	,168	-,072
Item 2	,191	-,099
Item 3	,186	-,094
Item 4	,162	-,068
Item 5	-,012	,119
Item 6	,131	-,034
Item 8	,174	-,121
Item 9	,135	-,032
Item 10	,113	-,011
Item 11	,115	-,004
Item 12	-,064	,187
Item 14	-,082	,214
Item 15	,022	,096
Item 16	-,133	,261
Item 17	-,122	,254
Item 18	-,119	,244
Item 19	,065	,032

Extraction Method: Principal Component Analysis.

Rotation Method: Varimax with Kaiser Normalization.

Component Scores.

## DIMENSIONALIDADE DA ESCALA

### Reliability ANALYSIS – SCALE (ALPHA)

#### Factor 1

##### Case Processing Summary

		N	%
Cases	Valid	172	69,4
	Excluded <sup>a</sup>	76	30,6
	Total	248	100,0

a. Listwise deletion based on all variables in the procedure.

##### Reliability Statistics

Cronbach's Alpha	Cronbach's Alpha Based on Standardized Items	N of Items
,947	,950	10

##### Item Statistics

	Mean	Std. Deviation	N
Item 1	4,30	1,205	172
Item 2	4,19	1,110	172
Item 3	4,31	1,151	172
Item 4	4,32	1,085	172
Item 6	4,18	1,153	172
Item 8	3,60	1,259	172
Item 9	4,17	1,100	172
Item 10	4,16	1,051	172
Item 11	4,11	1,073	172
Item 19	4,09	1,288	172

**Inter-Item Correlation Matrix**

	Item 1	Item 2	Item 3	Item 4	Item 6	Item 8	Item 9	Item 10	Item 11	Item 19
Item 1	1,000	,875	,835	,740	,659	,457	,728	,678	,752	,544
Item 2	,875	1,000	,855	,774	,672	,519	,715	,716	,773	,520
Item 3	,835	,855	1,000	,829	,711	,476	,696	,666	,763	,581
Item 4	,740	,774	,829	1,000	,683	,448	,678	,607	,778	,561
Item 6	,659	,672	,711	,683	1,000	,492	,736	,638	,697	,584
Item 8	,457	,519	,476	,448	,492	1,000	,586	,445	,474	,494
Item 9	,728	,715	,696	,678	,736	,586	1,000	,725	,747	,588
Item 10	,678	,716	,666	,607	,638	,445	,725	1,000	,799	,539
Item 11	,752	,773	,763	,778	,697	,474	,747	,799	1,000	,551
Item 19	,544	,520	,581	,561	,584	,494	,588	,539	,551	1,000

**Inter-Item Covariance Matrix**

	Item 1	Item 2	Item 3	Item 4	Item 6	Item 8	Item 9	Item 10	Item 11	Item 19
Item 1	1,452	1,170	1,158	,967	,916	,693	,965	,859	,972	,845
Item 2	1,170	1,232	1,093	,932	,860	,725	,873	,835	,920	,743
Item 3	1,158	1,093	1,326	1,035	,944	,690	,882	,805	,942	,862
Item 4	,967	,932	1,035	1,178	,854	,613	,809	,692	,906	,785
Item 6	,916	,860	,944	,854	1,330	,715	,933	,773	,863	,867
Item 8	,693	,725	,690	,613	,715	1,585	,812	,589	,640	,801
Item 9	,965	,873	,882	,809	,933	,812	1,209	,838	,881	,833
Item 10	,859	,835	,805	,692	,773	,589	,838	1,104	,901	,729
Item 11	,972	,920	,942	,906	,863	,640	,881	,901	1,151	,762
Item 19	,845	,743	,862	,785	,867	,801	,833	,729	,762	1,659

**Summary Item Statistics**

	Mean	Minimum	Maximum	Range	Maximum / Minimum	Variance	N of Items
Item Means	4,144	3,605	4,320	,715	1,198	,043	10
Item Variances	1,323	1,104	1,659	,555	1,503	,035	10
Inter-Item Covariances	,851	,589	1,170	,581	1,987	,016	10
Inter-Item Correlations	,653	,445	,875	,430	1,965	,014	10

**Item-Total Statistics**

	Scale Mean if Item Deleted	Scale Variance if Item Deleted	Corrected Item-Total Correlation	Squared Multiple Correlation	Cronbach's Alpha if Item Deleted
Item 1	37,13	71,251	,840	,811	,939
Item 2	37,24	72,256	,864	,843	,938
Item 3	37,13	71,644	,863	,826	,938
Item 4	37,12	73,425	,817	,758	,940
Item 6	37,26	73,010	,784	,642	,942
Item 8	37,83	75,650	,573	,408	,952
Item 9	37,26	72,931	,833	,728	,940
Item 10	37,28	74,647	,773	,707	,942
Item 11	37,33	73,063	,849	,790	,939
Item 19	37,35	73,679	,654	,468	,948

**Scale Statistics**

Mean	Variance	Std. Deviation	N of Items
41,44	89,791	9,476	10

## DIMENSIONALIDADE DA ESCALA

### Reliability ANALYSIS – SCALE (ALPHA)

#### Factor 2

**Case Processing Summary**

		N	%
Cases	Valid	241	97,2
	Excluded <sup>a</sup>	7	2,8
	Total	248	100,0

a. Listwise deletion based on all variables in the procedure.

**Reliability Statistics**

Cronbach's Alpha	Cronbach's Alpha Based on Standardized Items	N of Items
,915	,915	7

**Item Statistics**

	Mean	Std. Deviation	N
Item 5	4,76	1,391	241
Item 12	4,77	1,302	241
Item 14	5,01	1,334	241
Item 15	4,27	1,157	241
Item 16	4,75	1,325	241
Item 17	4,80	1,239	241
Item 18	4,70	1,266	241

**Inter-Item Correlation Matrix**

	Item 5	Item 12	Item 14	Item 15	Item 16	Item 17	Item 18
Item 5	1,000	,583	,615	,390	,507	,528	,541
Item 12	,583	1,000	,731	,468	,577	,586	,529
Item 14	,615	,731	1,000	,562	,664	,710	,666
Item 15	,390	,468	,562	1,000	,604	,584	,607
Item 16	,507	,577	,664	,604	1,000	,751	,720
Item 17	,528	,586	,710	,584	,751	1,000	,828
Item 18	,541	,529	,666	,607	,720	,828	1,000

**Inter-Item Covariance Matrix**

	Item 5	Item 12	Item 14	Item 15	Item 16	Item 17	Item 18
Item 5	1,934	1,056	1,141	,628	,935	,910	,953
Item 12	1,056	1,696	1,270	,705	,995	,945	,872
Item 14	1,141	1,270	1,779	,867	1,174	1,173	1,125
Item 15	,628	,705	,867	1,339	,927	,837	,889
Item 16	,935	,995	1,174	,927	1,757	1,233	1,207
Item 17	,910	,945	1,173	,837	1,233	1,535	1,299
Item 18	,953	,872	1,125	,889	1,207	1,299	1,602

**Summary Item Statistics**

	Mean	Minimum	Maximum	Range	Maximum / Minimum	Variance	N of Items
Item Means	4,723	4,270	5,012	,743	1,174	,050	7
Item Variances	1,663	1,339	1,934	,594	1,444	,037	7
Inter-Item Covariances	1,007	,628	1,299	,671	2,069	,033	7
Inter-Item Correlations	,607	,390	,828	,438	2,123	,010	7

**Item-Total Statistics**

	Scale Mean if Item Deleted	Scale Variance if Item Deleted	Corrected Item-Total Correlation	Squared Multiple Correlation	Cronbach's Alpha if Item Deleted
Item 5	28,30	40,744	,633	,444	,914
Item 12	28,29	40,540	,705	,576	,906
Item 14	28,05	38,644	,814	,691	,894
Item 15	28,79	42,876	,640	,447	,912
Item 16	28,31	39,224	,780	,642	,898
Item 17	28,26	39,592	,821	,757	,894
Item 18	28,36	39,630	,796	,730	,896

**Scale Statistics**

Mean	Variance	Std. Deviation	N of Items
33,06	53,922	7,343	7