

Índice

POSIÇÃO PARTO

- 1 ALTMAN, D.; OLSSON, S.; RAGNAR, I.; TYDÉN, T. - **Comparison of the maternal experience and duration of labour in two upright delivery positions – a randomized controlled trial**. International Journal of Obstetrics and Gynecology. October, 2006. 165-170p.
- 2 CALAIS-GERMAIN, B.; PARÉS, N. – **Parir en movimiento**. La liebre de marzo: Barcelona, 2009. 174p.
- 3 CARLA, Beatrice – **Natural Birthing lessons from Nepal**.British Journal of Midwifery. August 2003.vol 11 nº 8, p492-495.
- 4 COPPEN, Regina –**Birthing positions: do midwives know best?**.London: MA Healthcare limited 2005. **Chapter 2 - Background and introduction**. p 13-23
- 5 COPPEN, Regina –**Birthing positions: do midwives know best?**.London :MA Healthcare limited 2005. **Chapter 3 - Historical perspetive and the medicalisation of birthing positions**. p 25-41
- 6 COPPEN, Regina –**Birthing positions: do midwives know best?**.London :MA Healthcare limited 2005. Chapter 4 – Choice, preferences and control. p 43-59
- 7 COPPEN,Regina –**Birthing positions:do midwives know best?**.London:MA Healthcare limited 2005.**Chapter 1 - Definitions of recumbent and upbright position for childbirth**.p 3-11
- 8 DIFRANCO, J.; KEEN, R.; ROMANO, A. - **Care Practice 5: Spontaneous Pushing in Upright or Gravity-Neutral Positions**. The Journal of Perinatal Education. Volume 16, Number 3. 2007. 35-38p.
- 9 GUPTA, J.; HOFMEYR, G.; SMYTH, R - **Position in the second stage of labour for women without epidural anaesthesia**. The Cochrane Collaboration. 2009. 8p.
- 10 **INICIATIVA PARTO NORMAL – Documento de consenso** da Federación de Asociaciones de Matronas de España (FAME). Loures: Lusociência, 2009. 114p.

- 11 JONGE, A.; LAGRO-JANSSEN, A.; SCHEEPERS, P.; TEUNISSENT, D.; van Diem, M. - **Women's positions during the second stage of labour: views of primary care midwives.** JAN ORIGINAL RESEARCH – Blackwell Publishing Ltd. March, 2008. 347-356p.
- 12 JONGE, A.; LAGRO-JANSSEN, A.; TEUNISSEN, T. - **Supine position compared to other positions during the second stage of labor: a meta-analytic review.** Journal of Psychosomatic Obstetrics and Gynecology. March, 2004. 35-45p.
- 13 JONGE, A.; LAGRO-JANSSEN, ALM. **Birthing positions: a qualitative study into the views of women about various birthing positions.** Journal of Psychosomatic Obstetrics and Gynecology. March, 2004. 47-55p.
- 14 KITZINGER, S. – **Sheila Kitzinger.s letter from Europe: the clock, the bed, the chair, the pool.** Blackwell Publishing. March, 2003. 54-56p.
- 15 LEITE,L et al -Documento de Consenso” **Pelo Direito ao Parto Normal - Uma Visão Partilhada**”.ed Ordem dos Enfermeiros.Maio.2005 p35.
- 16 NIEUWENHUIZE, M;JONGE,A;KORSTJENS,I;LAGRO-JANSSE,T.- **Factors influencing the fulfilment of women's preferences for birthing positions during second stage of labor.**Journal of Psychosomatic Obstetrics and Ginecology, 2011; p 1-7.
- 17 **Norma tecnica para la atencion del parto vertical com adequation intercultural.**(N.T. Nº 033 –MINSA/DGSP- V.01) Ministerio de Salud.Direccion General de Salud de las Personas.Estratégia Sanitária Nacional de Salud Sexual y Reproductiva – LIMA: Ministério da Salud. 2005. 38 p
- 18 ORGANIZAÇÃO MUNDIAL DA SAÚDE – UNIDADE DE SAÚDE MATERNA E NEONATAL – **Assistência ao parto normal: um guia prático.** Genebra, 1996. 54p
- 19 RCM – Evidence based guidelines for midwifery-led care in labour 4th edition : **Positions for labour and birth. Midwifery practice guideline .** May 2008.p7.
- 20 SIMKIN,PENNY- **Maternal positions and pelvis revisited.**Birth 30 :2 . Juno 2003. P.130-132.

- 21 WALSH,DENNIS – Evidence and skills for Normal Labour and Birth – a guide for midwives. 2 nd Edition Routledge.2012.**Capítulo VI Mobility and posture in Labour.** P 65-81

PERINEO

- 1 ALBERS,L;SEDLER, K;BEDRICK,E; TEAF,D; PERALTA,P – Fatores related to genital tract trauma in normal spontaneous vaginal birth.- Birth n° 33:2 June 2006.p.94-100.
- 2 ALBERS,Leah;BORDERS,Noelle –Minimizing Genital Tract Trauma and Related Pain Following Spontaneous Vaginal Birth. Journal of Midwifery Womens Health. 2007. 52(3): 246-253.
- 3 ALLEBECK, P.; EKÉUS, C.; GOTTVÄL, K. - Risk factors for anal sphincter tears: the importance of maternal position at birth. International Journal of Obstetrics and Gynecology. June, 2007.1266-1272p.
- 4 FLYNN,P;FRANIEK,J;JANSSEN,P;HANNAH,W;KLEIN,M – How can second-stage management prevent perineal trauma?. Canadian Family Physician. Jan-1997 vol 43.p 73-84.
- 5 JONGE, A.; LAGRA-JANSSEN, A.; SCHEEPERS, P.; VAN DER PAL-DE BRUIN, K.; VAN DIEM, M. - Increased blood loss in upright birthing positions originates from perineal damage". International Journal of Obstetrics and Gynecology. November, 2007. 349-355p.
- 6 RCM – Evidence based guidelines for midwifery-led care in labour 4th edition : **Care of the Perineum. Midwifery practice guideline .** May 2008.p8.
- 7 RCM – Evidence based guidelines for midwifery-led care in labour 4th edition : **Positions for labour and birth. Midwifery practice guideline .** May 2008.p7.
- 8 SHORTEN,A;DONSANTE,J; SHORTEN,B –Birth position, accoucher, and perineal outcomes:informing women about choices for vaginal birth. Birth 29:1 March 2002. P 18-27

- 6 SOONG, Barbara; BARNES, Margaret -Maternal Positon at midwife-attended birth and perineal trauma: Is there an Association? .Birth 32:3 . September 2005 .P 164-169.

ESFORÇOS EXPULSIVOS

- 1 CHALK, A. - Pushing in the second stage of labour: part 1. British Journal of Midwifery. Volume 12, number 8. August, 2004. 502-508p

DISTÓCIA DE OMBROS

- 1 LENNER, Henry - Shoulder Dystocia : in www.shoulderdystociainfo.com/shoulder_dystocia.htm . acedido em 24/2/2012