

Diagnosis of Alzheimer Disease Through an Artificial Neural Network Based System

Ivo Ramalhosa¹, Pedro Mateus¹, Victor Alves¹, Henrique Vicente^{1,2},
Filipa Ferraz¹, João Neves³, and José Neves^{1(✉)}

¹ Centro Algoritmi, Universidade do Minho, Braga, Portugal
{a68362, a68364}@alunos.uminho.pt,
{valves, jneves}@di.uminho.pt, hvicente@uevora.pt,
flipatferraz@gmail.com

² Departamento de Química, Escola de Ciências e Tecnologia,
Universidade de Évora, Évora, Portugal

³ Mediclinic, Arabian Ranches, PO Box 282602, Dubai
United Arab Emirates
joaocpneves@gmail.com

Abstract. Alzheimer's Disease (AD) is referred to as one of the most common causes of dementia, which in itself justifies the interest and investment that is made in order to find new biomarkers to identify the disease in its early stages. Indeed, focusing on the hippocampus as a marker for AD, it would be object of analyse different methods of volume measurement and hippocampus segmentation. On the other hand, the computational framework is built on top of a Logic Programming approach to Knowledge Representation and Reasoning, complemented with a computational framework base on Artificial Neural Networks that grip on incomplete, unknown, and even self-contradictory information or knowledge.

Keywords: Alzheimer disease · Biomarker · Hippocampus · Logic programming · Medical imaging · Intelligent systems