

## Adsorption of n-Pentane on Mesoporous Silica and Adsorbent Deformation

Gennady Yu. Gor,<sup>\*†</sup> Oskar Paris,<sup>‡</sup> Johannes Prass,<sup>§</sup> Patrícia A. Russo,<sup>||</sup> M. Manuela L. Ribeiro Carrott,<sup>||</sup> and Alexander V. Neimark<sup>†</sup>

<sup>†</sup>Department of Civil and Environmental Engineering, Princeton University, Princeton, New Jersey 08544, United States


<sup>‡</sup>Institute of Physics, Montanuniversität Leoben, Franz-Josef-Strasse 18, 8700 Leoben, Austria

<sup>§</sup>TimberTower GmbH, Vahrenwalder Strasse 7, 30165 Hannover, Germany

<sup>||</sup>Centro de Química de Évora and Departamento de Química, Universidade de Évora, Colégio Luís António Verney, 7000-671 Évora, Portugal

<sup>†</sup>Department of Chemical and Biochemical Engineering, Rutgers University, 98 Brett Road, Piscataway, New Jersey 08854, United States

**ABSTRACT:** Development of quantitative theory of adsorption-induced deformation is important, e.g., for enhanced coalbed methane recovery by CO<sub>2</sub> injection. It is also promising for the interpretation of experimental measurements of elastic properties of porous solids. We study deformation of mesoporous silica by n-pentane adsorption. The shape of experimental strain isotherms for this system differs from the shape predicted by thermodynamic theory of adsorption-induced deformation. We show that this difference can be attributed to the difference of disjoining pressure isotherm, responsible for the solid–fluid interactions. We suggest the disjoining pressure isotherm suitable for n-pentane adsorption on silica and derive the parameters for this isotherm from experimental data of n-pentane adsorption on nonporous silica. We use this isotherm in the formalism of macroscopic theory of adsorption-induced deformation of mesoporous materials, thus extending this theory for the case of weak solid–fluid interactions. We employ the extended theory to calculate solvation pressure and strain isotherms for SBA-15 and MCM-41 silica and compare it with experimental data obtained from small-angle X-ray scattering. Theoretical predictions for MCM-41 are in good agreement with the experiment, but for SBA-15 they are only qualitative. This deviation suggests that the elastic modulus of SBA-15 may change during pore filling.



Received: April 23, 2013  
Revised: June 9, 2013  
Published: June 12, 2013